Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1626KAS

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * Welcome to STN International * * * * * * * * * *

NEWS 1		Web Page URLs for STN Seminar Schedule - N. America
NEWS 2		"Ask CAS" for self-help around the clock
NEWS 3	DEC 05	CASREACT(R) - Over 10 million reactions available
NEWS 4	DEC 14	2006 MeSH terms loaded in MEDLINE/LMEDLINE
NEWS 5	DEC 14	2006 MeSH terms loaded for MEDLINE file segment of TOXCENTER
NEWS 6	DEC 14	CA/CAplus to be enhanced with updated IPC codes
NEWS 7	DEC 21	IPC search and display fields enhanced in CA/CAplus with the IPC reform
NEWS 8	DEC 23	New IPC8 SEARCH, DISPLAY, and SELECT fields in USPATFULL/ USPAT2
NEWS 9	JAN 13	IPC 8 searching in IFIPAT, IFIUDB, and IFICDB
NEWS 10	JAN 13	New IPC 8 SEARCH, DISPLAY, and SELECT enhancements added to INPADOC
NEWS 11	JAN 17	Pre-1988 INPI data added to MARPAT
NEWS 12	JAN 17	IPC 8 in the WPI family of databases including WPIFV
NEWS 13	JAN 30	Saved answer limit increased
NEWS 14	JAN 31	Monthly current-awareness alert (SDI) frequency added to TULSA

NEWS EXPRESS JANUARY 03 CURRENT VERSION FOR WINDOWS IS V8.01, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 19 DECEMBER 2005. V8.0 USERS CAN OBTAIN THE UPGRADE TO V8.01 AT http://download.cas.org/express/v8.0-Discover/

NEWS HOURS	STN Operating Hours Plus Help Desk Availability
NEWS INTER	General Internet Information
NEWS LOGIN	Welcome Banner and News Items
NEWS PHONE	Direct Dial and Telecommunication Network Access to STN
NEWS WWW	CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 02:07:04 ON 06 FEB 2006

```
=> FILE REG
COST IN U.S. DOLLARS                                    SINCE FILE      TOTAL
                                                           ENTRY    SESSION
FULL ESTIMATED COST                                         0.21       0.21

FILE 'REGISTRY' ENTERED AT 02:07:50 ON 06 FEB 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES:     3 FEB 2006  HIGHEST RN 873528-70-2
DICTIONARY FILE UPDATES:    3 FEB 2006  HIGHEST RN 873528-70-2

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2005

  Please note that search-term pricing does apply when
  conducting SmartSELECT searches.

**********************************************************************
*                                                                    *
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added,   *
* effective March 20, 2005.  A new display format, IDERL, is now    *
* available and contains the CA role and document type information. *
*                                                                    *
**********************************************************************

Structure search iteration limits have been increased.  See HELP SLIMITS
for details.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document.  For information
on property searching in REGISTRY, refer to:

http://www.cas.org/ONLINE/UG/regprops.html

=>
Uploading C:\Program Files\Stnexp\Queries\10628375.str
```



chain nodes :
6 7 8 9 10 11 12 13
ring nodes :
1 2 3 4 5
chain bonds :
2-6 3-7 5-12 6-9 7-8 9-10 9-11 12-13
ring bonds :
1-2 1-5 2-3 3-4 4-5
exact/norm bonds :
1-2 1-5 2-3 3-4 3-7 4-5 9-10 9-11 12-13
exact bonds :
2-6 5-12 6-9 7-8
isolated ring systems :
containing 1 :

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:Atom 9:CLASS 10:CLASS
11:CLASS 12:CLASS 13:CLASS

L1 STRUCTURE UPLOADED

=> D
L1 HAS NO ANSWERS
L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> S L1
SAMPLE SEARCH INITIATED 02:08:13 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 541 TO ITERATE

100.0% PROCESSED 541 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 9425 TO 12215
PROJECTED ANSWERS: 0 TO 0

```
L2             0 SEA SSS SAM L1

=> S L1 FULL
FULL SEARCH INITIATED 02:08:23 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -    10476 TO ITERATE

100.0% PROCESSED    10476 ITERATIONS                          14 ANSWERS
SEARCH TIME: 00.00.01

L3            14 SEA SSS FUL L1

=> FILE CAPLUS
COST IN U.S. DOLLARS                          SINCE FILE      TOTAL
                                                   ENTRY    SESSION
FULL ESTIMATED COST                               166.94     167.15

FILE 'CAPLUS' ENTERED AT 02:08:29 ON 06 FEB 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)


Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
American Chemical Society and is provided to assist you in searching
databases on STN.  Any dissemination, distribution, copying, or storing
of this information, without the prior written consent of CAS, is
strictly prohibited.

FILE COVERS 1907 - 6 Feb 2006  VOL 144 ISS 7
FILE LAST UPDATED: 5 Feb 2006  (20060205/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

http://www.cas.org/infopolicy.html

=> S L3
L4             3 L3

=> D IBIB ABS HITSTR TOT
```

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 2004:252948 CAPLUS
DOCUMENT NUMBER: 140:423618
TITLE: Synthesis and Selective Cyclooxygenase-2 Inhibitory Activity of a Series of Novel, Nitric Oxide Donor-Containing Pyrazoles
AUTHOR(S): Ranatunge, Ramani R.; Augustyniak, Michael; Bandarage, Upul K.; Earl, Richard A.; Ellis, James L.; Garvey, David S.; Janero, David R.; Letts, L. Gordon; Martino, Allison M.; Murty, Madhavi G.; Richardson, Stewart K.; Schroeder, Joseph D.; Shumway, Matthew J.; Tam, S. William; Trocha, A. Mark; Young, Delano V.
CORPORATE SOURCE: NitroMed Inc., Bedford, MA, 01730, USA
SOURCE: Journal of Medicinal Chemistry (2004), 47(9), 2180-2193
CODEN: JMCMAR; ISSN: 0022-2623
PUBLISHER: American Chemical Society
DOCUMENT TYPE: Journal
LANGUAGE: English
OTHER SOURCE(S): CASREACT 140:423618
GI



I

AB The synthesis of a series of novel pyrazoles containing a nitrate (ONO2) moiety as a nitric oxide (NO)-donor functionality is reported. Their COX-1 and COX-2 inhibitory activities in human whole blood are profiled. The data demonstrate that pyrazole ring substituents play an important role in COX-2 selective inhibition, such that a cycloalkylpyrazole (I, X = CH2) was found to be a potent and selective COX-2 inhibitor. Other modifications at the 3 position of the central pyrazole ring [I, X = (CH2)3, C(:NOH)(CH2)3, (Z)-CH:CHCH2CH2] enhanced COX-2 inhibitory potency. Among the pyrazoles synthesized, the oxime [I, X = C(:NOH)(CH2)3] was identified as the most potent COX-2 selective inhibitor. Accordingly, this compound was profiled pharmacol. in the rat after oral administration and shown to possess potent antiinflammatory activity in the carrageenan-induced air-pouch model and less gastric toxicity than a standard COX-2 inhibitor when administered with background aspirin treatment. The enhanced gastric tolerance of an NO-donor COX-2 selective inhibitor has the potential to augment the clin. profile of this drug class.

IT **654058-48-7P 654058-51-2P 654058-53-4P**
RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent)
(prepn. and selective cyclooxygenase-2 inhibitory activity of nitric oxide donor-contg. pyrazoles)

RN 654058-48-7 CAPLUS
CN 1H-Pyrazole-3-methanol, 1-(cyclohexylmethyl)-5-[4-(methylsulfonyl)phenyl]-(9CI) (CA INDEX NAME)



RN 654058-51-2 CAPLUS
CN 1H-Pyrazole-3-methanol, 5-[4-(methylsulfonyl)phenyl]-1-(phenylmethyl)-(9CI) (CA INDEX NAME)



RN 654058-53-4 CAPLUS
CN 1H-Pyrazole-3-propanol, 1-(cyclohexylmethyl)-5-[4-(methylsulfonyl)phenyl]-(9CI) (CA INDEX NAME)

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



IT **654058-52-3P 654058-60-3P 654058-64-7P 654058-66-9P 654058-67-0P**
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)
(preparation and selective cyclooxygenase-2 inhibitory activity of nitric oxide donor-containing pyrazoles)

RN 654058-52-3 CAPLUS
CN 2-Propen-1-ol, 3-[1-(cyclohexylmethyl)-5-[4-(methylsulfonyl)phenyl]-1H-pyrazol-3-yl]-, (2E)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



RN 654058-60-3 CAPLUS
CN 1H-Pyrazole-3-methanol, 1-(cyclohexylmethyl)-5-[4-(methylsulfonyl)phenyl]-, nitrate (ester) (9CI) (CA INDEX NAME)



RN 654058-64-7 CAPLUS

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
CN 1H-Pyrazole-3-methanol, 5-[4-(methylsulfonyl)phenyl]-1-(phenylmethyl)-, nitrate (ester) (9CI) (CA INDEX NAME)



RN 654058-66-9 CAPLUS
CN 2-Propen-1-ol, 3-[1-(cyclohexylmethyl)-5-[4-(methylsulfonyl)phenyl]-1H-pyrazol-3-yl]-, nitrate (ester), (2E)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



RN 654058-67-0 CAPLUS
CN 1H-Pyrazole-3-propanol, 1-(cyclohexylmethyl)-5-[4-(methylsulfonyl)phenyl]-, nitrate (ester) (9CI) (CA INDEX NAME)



REFERENCE COUNT: 52 THERE ARE 52 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 2004:100955 CAPLUS
DOCUMENT NUMBER: 140:157441
TITLE: Cyclooxygenase- 2 selective inhibitors, compositions and methods of use
INVENTOR(S): Garvey, David S.; Khanapure, Subhash P.; Ranatunge, Ramani R.; Richardson, Stewart K.; Schroeder, Joseph D.
PATENT ASSIGNEE(S): Nitromed, Inc., USA
SOURCE: PCT Int. Appl., 140 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004010945	A2	20040205	WO 2003-US23605	20030729
WO 2004010945	A3	20040422		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2493156	AA	20040205	CA 2003-2493156	20030729
US 2004072893	A1	20040415	US 2003-628375	20030729
EP 1542972	A2	20050622	EP 2003-772004	20030729
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
JP 2005538110	T2	20051215	JP 2004-524981	20030729

PRIORITY APPLN. INFO.: US 2002-398829P P 20020729
WO 2003-US23605 W 20030729

OTHER SOURCE(S): MARPAT 140:157441

AB The invention describes novel cyclooxygenase 2 (COX-2) selective inhibitors and novel compns. comprising at least one cyclooxygenase 2 (COX-2) selective inhibitor, and, optionally, at least one compound that donates, transfers or releases nitric oxide, stimulates endogenous synthesis of nitric oxide, elevates endogenous levels of endothelium-derived relaxing factor or is a substrate for nitric oxide synthase, and/or at least one therapeutic agent. The invention also provides novel kits comprising at least one COX-2 selective inhibitor, optionally nitrosated and/or nitrosylated, and, optionally, at least one nitric oxide donor, and/or, optionally, at least one therapeutic agent. The novel cyclooxygenase 2 selective inhibitors of the invention can be optionally nitrosated and/or nitrosylated. The invention also provides methods for treating inflammation, pain and fever; for treating and/or improving the gastrointestinal properties of COX-2 selective inhibitors; for facilitating wound healing; for treating and/or preventing renal and/or respiratory toxicity; for treating and/or preventing other disorders resulting from elevated levels of cyclooxygenase-2; and for

L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 654058-53-4 CAPLUS
CN 1H-Pyrazole-3-propanol, 1-(cyclohexylmethyl)-5-[4-(methylsulfonyl)phenyl]-(9CI) (CA INDEX NAME)



RN 654058-67-0 CAPLUS
CN 1H-Pyrazole-3-propanol, 1-(cyclohexylmethyl)-5-[4-(methylsulfonyl)phenyl]-, nitrate (ester) (9CI) (CA INDEX NAME)



IT 654058-56-7P 654058-58-9P 654058-60-3P
654058-62-5P 654058-64-7P
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(antiinflammatory cyclooxygenase-2 selective inhibitors)
RN 654058-56-7 CAPLUS
CN 2-Propenoic acid, 3-[1-(cyclohexylmethyl)-5-[4-(methylsulfonyl)phenyl]-1H-

L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
improving the cardiovascular profile of COX-2 selective inhibitors.
IT 654058-48-7P 654058-51-2P 654058-52-3P
654058-53-4P 654058-67-0P
RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(antiinflammatory cyclooxygenase-2 selective inhibitors)
RN 654058-48-7 CAPLUS
CN 1H-Pyrazole-3-methanol, 1-(cyclohexylmethyl)-5-[4-(methylsulfonyl)phenyl]-(9CI) (CA INDEX NAME)



RN 654058-51-2 CAPLUS
CN 1H-Pyrazole-3-methanol, 5-[4-(methylsulfonyl)phenyl]-1-(phenylmethyl)-(9CI) (CA INDEX NAME)



RN 654058-52-3 CAPLUS
CN 2-Propen-1-ol, 3-[1-(cyclohexylmethyl)-5-[4-(methylsulfonyl)phenyl]-1H-pyrazol-3-yl]-, (2E)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.

L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
pyrazol-3-yl]-, methyl ester, (2E)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



RN 654058-58-9 CAPLUS
CN 1H-Pyrazole-3-carboxylic acid, 5-[4-(methylsulfonyl)phenyl]-1-(phenylmethyl)-, methyl ester (9CI) (CA INDEX NAME)



RN 654058-60-3 CAPLUS
CN 1H-Pyrazole-3-methanol, 1-(cyclohexylmethyl)-5-[4-(methylsulfonyl)phenyl]-, nitrate (ester) (9CI) (CA INDEX NAME)



RN 654058-62-5 CAPLUS
CN Ethanol, 2-[[1-(cyclohexylmethyl)-5-[4-(methylsulfonyl)phenyl]-1H-pyrazol-3-yl]methoxy]-, nitrate (ester) (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 654058-64-7 CAPLUS
CN 1H-Pyrazole-3-methanol, 5-[4-(methylsulfonyl)phenyl]-1-(phenylmethyl)-, nitrate (ester) (9CI) (CA INDEX NAME)



IT 654058-66-9
RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(antiinflammatory cyclooxygenase-2 selective inhibitors)
RN 654058-66-9 CAPLUS
CN 2-Propen-1-ol, 3-[1-(cyclohexylmethyl)-5-[4-(methylsulfonyl)phenyl]-1H-pyrazol-3-yl]-, nitrate (ester), (2E)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.



IT 654058-86-3P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(antiinflammatory cyclooxygenase-2 selective inhibitors)
RN 654058-86-3 CAPLUS
CN 1H-Pyrazole-3-carboxylic acid, 1-(cyclohexylmethyl)-5-[4-(methylsulfonyl)phenyl]-, methyl ester (9CI) (CA INDEX NAME)



L4 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1999:350656 CAPLUS
DOCUMENT NUMBER: 131:5254
TITLE: Preparation of 5-arylpyrazoles as COX-2 selective inhibitors
INVENTOR(S): Nakamura, Katsuya; Terasaka, Tadashi; Ogino, Takashi; Noda, Yuka; Manabe, Takashi
PATENT ASSIGNEE(S): Fujisawa Pharmaceutical Co., Ltd., Japan
SOURCE: PCT Int. Appl., 42 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9925695	A1	19990527	WO 1998-JP5041	19981110
W: JP, US				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
JP 2002509554	T2	20020326	JP 1999-528127	19981110
PRIORITY APPLN. INFO.:			AU 1997-423 A	19971118
			WO 1998-JP5041 W	19981110

OTHER SOURCE(S): MARPAT 131:5254
GI



AB The title compds. [I; R1 = (un)substituted aryl; R2 = H, NH2, halo, etc.; R3 = H, aryl optionally substituted with halogen, lower alkyl; R4 = (un)substituted aryl; A = lower alkylene], useful for the treatment and/or prevention of inflammatory conditions, various pains, collagen diseases, autoimmune diseases, various immunity disease, analgesic, thrombosis, cancer or neurodegenerative diseases, were prepared Thus, refluxing 4,4,4-trifluoro-1-[4-(methylsulfonyl)phenyl]butane-1,3-dione with 3-fluorobenzylhydrazine in AcOH afforded I [A = CH2; R1 = 3-FC6H4; R2 = CF3; R3 = H; R5 = 4-(MeSO2)C6H4] which showed secondary lesion inhibition (uninjected paw) of > 60% at 1.0 mg/kg in rats.
IT 225781-84-0P 225781-90-8P
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(preparation of 5-arylpyrazoles as COX-2 selective inhibitors)
RN 225781-84-0 CAPLUS
CN 1H-Pyrazole-3-carboxamide, 1-[(2,4-difluorophenyl)methyl]-5-[4-(methylsulfonyl)phenyl]- (9CI) (CA INDEX NAME)

L4 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 225781-90-8 CAPLUS
CN 1H-Pyrazole-3-carboxylic acid, 1-[(2,4-difluorophenyl)methyl]-5-[4-(methylsulfonyl)phenyl]-, ethyl ester (9CI) (CA INDEX NAME)



REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

```
=> LOGOFF
ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF
LOGOFF? (Y)/N/HOLD:Y
```

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	16.25	183.40

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-2.25	-2.25

```
STN INTERNATIONAL LOGOFF AT 02:09:57 ON 06 FEB 2006
```